

# Exhibit 83

C•T•F•A Specification

**TALC**

**DEFINITION:** Talc is an essentially white, odorless, fine powder which is ground from naturally occurring rock ore. It consists of a minimum of 90% hydrated magnesium silicate, with the remainder consisting of naturally associated minerals such as calcite, chlorite, dolomite, kaolin, and magnesite, and containing no detectable fibrous, asbestos minerals.

TEST	SPECIFICATION	METHOD
Color .....	As specified by the buyer and showing no change after heating	Heat 1 to 2 g at 200°C for 5 minutes.
Odor .....	As specified by the buyer	
Identification .....	1. Close match to CTFA spectrum-IR with no indication of foreign materials or 2. (Alternate) Close match to X-ray Powder Diffraction File No. 19-770, published by ASTM, showing the most intense reflections at d values about 9.35, 1.53, and 4.95Å	CTFA G 3-1
Slip .....	As specified by the buyer	
Lustre .....	As specified by the buyer	
Water-Soluble Iron .....	Passes test	USP (Current)
Water-Soluble Substances .....	0.1% maximum	USP (Current) (Reaction and Soluble Substances)
Acid-Soluble Substances .....	As specified by the buyer 6.0% maximum	CTFA E 32-1
Screen Test .....	100% through 100 mesh 98% minimum through 200 mesh Finer grades: as specified by the buyer	CTFA C 6-1
Loss on Ignition .....	6.0% maximum	CTFA E 36-1
Arsenic (as As) .....	3 ppm maximum	CTFA E 1-1, Parts I-A and II
Lead (as Pb) .....	20 ppm maximum	CTFA E 2-2, Parts I-A and II
Fibrous Amphibole (Asbestiform Tremolite et al) ..	None detected	CTFA J 4-1
Free Crystalline Silica (Quartz) .	As specified by the buyer	CTFA J 5-1 (DTA) Alternate: CTFA J 6-1 (X-ray)
	*****	


*The Cosmetic, Toiletry and Fragrance Association*

J&J-0119181

JNJ 000281901

C.T.F.

# TALC



Product: Talc  
Phase: Solid  
Method: Pressed Pellet, 0.19% in KBr  
Reference: Air  
Instrument: Beckman IR-10  
Optics: Grating

This spectrum is presented for identification purposes only and is not intended as a standard of purity.

**C•T•F•A Compendium of Cosmetic Ingredient Composition**

# ***Specifications***

## ***Editors***

***Joanne M. Nikitakis  
Gerald N. McEwen, Jr., Ph.D., J.D.***

## ***Editorial Advisor***

***Alfred G. Wich***

***The Cosmetic, Toiletry and Fragrance Association  
1110 Vermont Avenue, N.W., Washington, D.C. 20005***

8 Hr TWA  
Resp. Dust  
mg/m<sup>3</sup>

Daily Exposure  
mg/hr/m<sup>3</sup>

Single use  
Duration (Sec)

Ave. Resp. Dust  
mg/m<sup>3</sup>

ADULT FACE DUSTING

ADULT BODY DUSTING

BABY DUSTING

0.005

0.0042

18 (30)

0.48 (0.5)

1.13 - 2.03

45 - 90

0.005

0.005

0.005

0.005

0.001

0.0015

20 - 30

0.19 - 0.31

0.005

0.005

0.005

0.005

0.005

0.005

Slide 2

Col. 4 Col. 2 Col. 3

Daily Relationship of NFI  
Opinion Direct to Adult/  
Infant Exposure  
6 mg/m<sup>3</sup> 18 mg

8.571 25.714

705 - 1440

4500 - 14400

43200

Slide 1

Column 2 Column 3

8 Hr TWA  
Resp. Dust  
mg/m<sup>3</sup>

Daily Exposure  
mg/hr/m<sup>3</sup>

Ave. Resp. Dust  
mg/m<sup>3</sup>

ADULT FACE DUSTING

ADULT BODY DUSTING

BABY DUSTING

0.48 (0.5)

1.13 - 2.03

0.005

0.005

0.005

0.005

0.005

0.0042

0.025 - 0.051

0.005

0.005

0.005

0.005

0.005

0.008 - 0.0028

0.001

0.001

0.001

0.001

0.001

0.001

0.001

Copyright © 1990, 1983, 1976, 1974, 1972, 1971

***The Cosmetic, Toiletry and Fragrance Association***  
1110 Vermont Avenue, N.W., Washington, D.C. 20005

No portion of the CTFA Compendium of Cosmetic Ingredient Composition may be reproduced in whole or in part in any form or by any electronic or mechanical means, including information storage and retrieval systems, without prior permission from the Cosmetic, Toiletry and Fragrance Association.

Library of Congress Catalog Card No. 90-83147

J&J-0119185

JNJ 000281905